Orona

Orona 3G

Aesthetic solutions

EN

Orona 3G

Aesthetic solutions

ORONA 3G DOMO SERIES

Reference Packs

DR10 5
DR11 6
DR12 7
DR13 8
DR14 9
DR15 10
DR16 11

Selection Packs

DS10 12
DS11 13
DS12 14
DS13 15
DS14 16

ORONA 3G PUBLIC SERIES

Reference Packs

PR10 21
PR11 22
PR12 23
PR13 24
PR14 25

Selection Packs

PS10 26
PS11 27
PS12 28
PS13 29
PS14 30
PS15 31
PS16 32
PS17 33
PS18 34

Orona 3G Plus 38

Orona 3G

Domo
PACKS

Reference Packs

DR10



DR11



DR12

DR13



DR14

DR15

DR16

Selection Packs

DS10

DS11

DS12

DS13

DS14

DR10

DR11

DR12

DR13

DR14

DR15

DR16

DS10

DS11

DS12

DS13

DS14

Orona 3G Domo Packs

CAR OPERATING PANEL

LANDING INDICATOR

7 segment

Dot-matrix

TFT

LANDING PUSH BUTTONS

Push buttons to suit the lifts control type (1 or 2 push buttons)

Key switch push button (standard or eurocylinder)

Surface mounted push button

1

			REFERENCE PACKS							SELECTION PACKS				
			DR10	DR11	DR12	DR13	DR14	DR15	DR16	DS10	DS11	DS12	DS13	DS14
CEILINGS AND LIGHTING														
MODEL	LED	UP19	●		●	○		●	●					
	LED Spotlights	UP37	○	●	○	●	●	○	○	○	○	○	○	●
	LED panel (200 x 200 mm)	UP41									●		●	
	LED panel (600x600 mm)	UP67		○			○					●	○	○
		UP73								●				
CEILING MATERIAL		ST01 St St Base	●	●	●	●	●	●	●	●	●	●	●	●
		ST02 St St Plus	○	○	○	○	○	○	○	○	○	○	○	○
OTHERS		Automatic lighting switch-off	●	●	●	●	●	●	●	●	●	●	●	●
		Emergency hatch	○	○	○	○	○	○	○	○	○	○	○	○
		Fan	○	○	○	○	○	○	○	○	○	○	○	○
CAR WALLS														
PANELS	Neocompact Colour	NC02 Red Autumn		●P						●F				
		NC03 White Snow	●	●F/L	●F/L	●F/L	●P	●L/P					●L/P	
		NC25 Warm Green			●P									
	Neocompact Wood	NC15 Oak Tree					●F/L							
		NC21 Oak White										●		
		NC22 Oak Grey				●P								
	Neocompact Texture	NC16 Linen Pure									●			
		NC17 Grey Storm							●					
		NC18 Night Garden						●F					●F	
		NC24 Tissue								●L/P				
	Panel Stainless	ST01 St St Base												●
		ST02 St St Plus												○
	Others	Without cladding (for local fit out)	○	○	○	○	○	○	○	○	○	○	○	○
		Tip-up seat	○	○	○	○	○	○	○	○	○	○	○	○
		2 Entrances or 'Through car' for 180, 'Front/Adjacent' for 90&270	○	○	○	○	○	○	○	○	○	○	○	○
CAR OPERATING PANELS AND INDICATORS														
CAR INDICATOR		7 Segment	●	●	●	●	●	●	●					
		Dot-matrix								●	●	●	●	●
		Car direction arrows	●	●	●	●	●	●	●	●	●	●	●	●
		Overload indicator (buzzer & light)	●	●	●	●	●	●	●	●	●	●	●	●
		Direction arrows on entrance return	○	○	○	○	○	○	○	○	○	○	○	○
		Car gong	○	○	○	○	○	○	○	○	○	○	○	○
		Voice synthesizer	○	○	○	○	○	○	○	○	○	○	○	○
		Inductive acoustic coupler	○	○	○	○	○	○	○	○	○	○	○	○
CAR OPERATING PANEL MATERIAL		ST01 St St Base	●	●	●	●	●	●	●	●	●	●	●	●
		ST02 St St Plus	○	○	○	○	○	○	○	○	○	○	○	○
CAR PUSH BUTTONS		Door close push button	○	○	○	○	○	○	○	○	○	○	○	○
		Braille push button	●	●	●	●	●	●	●	●	●	●	●	●
		Key switch push button (Standard or eurocylinder)	○	○	○	○	○	○	○	○	○	○	○	○
		External call cancelling	○	○	○	○	○	○	○	○	○	○	○	○
		Coded call	○	○	○	○	○	○	○	○	○	○	○	○
LANDING INDICATOR		7 Segment	●	●	●	●	●	●	●	○	○	○	○	○
		Dot-matrix								●	●	●	●	●
		Next departure indicator	○	○	○	○	○	○	○	○	○	○	○	○
		Landing gong	○	○	○	○	○	○	○	○	○	○	○	○
LANDING PUSH BUTTONS		Key switch push button (Standard or eurocylinder)	○	○	○	○	○	○	○	○	○	○	○	○
		Surface mounted push button	○	○	○	○	○	○	○	○	○	○	○	○
CAR OPERATING PANEL		Horizontal car operating panel	○	○	○	○	○	○	○	○	○	○	○	○
MIRRORS														
MIRRORS		MH (Mirror 1/2)	●F	●F	●F	●F	●F	●F	●F					
		MT (Mirror 3/4 narrow)								●F	●F	●F	●F	●F
		Rear-view mirror (EN 81-70)	○	○	○	○	○	○	○	○	○	○	○	○
FINISH		01 Clear	●	●	●	●	●	●	●	●	●	●	●	●
HANDRAILS														
HANDRAILS		HR01 (Aluminium tube)	●L	●L	●L	●L	●L	●L	●L					
		HR02 (Aluminium tube)									●F/L		●F/L	●F/L
		HR04 (Stainless steel tube)								●F/L		●F/L		
FINISHES														
SKIRTINGS		SK01 Anodized Aluminium (St St finish)	●	●	●	●	●	●	●	●	●	●	●	●
DOOR MATERIALS (car and landing)		ST01 St St Base	●	●	●	●	●	●	●	●	●	●	●	●
		ST02 St St Plus	○	○	○	○	○	○	○	○	○	○	○	○
		Primed sheet (landing door)	○	○	○	○	○	○	○	○	○	○	○	○
DOOR PANEL TYPE		Standard panel (not big vision)	●	●	●	●	●	●	●	●	●	●	●	●
FLOORS														
SC-PVC HIGH		SC04 Grey Storm			●	●	●	●		●		●	●	
		SC05 Grey Silver	●	●					●		●			●
OTHERS		Prepared for granite	○	○	○	○	○	○	○	○	○	○	○	○
		Prepared for PVC	○	○	○	○	○	○	○	○	○	○	○	○

● Standard ○ Optional F Back wall L Side wall opposite car operating panel P Side wall with car operating panel

Orona 3G

Public PACKS

Reference Packs

PR10

PR11

PR12



PR13

PR14

Selection Packs



PS10

PS11

PS12



PS13

PS14



PS15



PS16

PS17

PS18

PR10

PR11

PR12

PR13

PR14

PS10

PS11

PS12

PS13

PS14

PS15

PS16

PS17

PS18

Orona 3G Public Packs

CAR OPERATING PANEL

LANDING INDICATOR

7 segment



Dot-matrix

TFT

LANDING PUSH BUTTONS

Push buttons to suit the lifts control type (1 or 2 push buttons)

Key switch push button (standard or eurocylinder)

Surface mounted push button

			REFERENCE PACKS					SELECTION PACKS								
			PR10	PR11	PR12	PR13	PR14	PS10	PS11	PS12	PS13	PS14	PS15	PS16	PS17	PS18
CEILINGS AND LIGHTING																
MODEL	LED Spotlights	UP37	o	o	•	o	•	o	o	o	o	o	o	o	o	o
	LED panel (200x200 mm)	UP41		•		•										
		UP43							•			•				
	LED panel (600x600 mm)	UP47												•		
		UP53														•
		UP67	•		o		o						•		•	
		UP73									•					
	LED panel (complete, consult availability of dimensions)	UP71						•		•						
CEILING MATERIAL		ST01 St St Base	•	•	•	•	•	o	o	o	o	o	o	o	o	o
		ST02 St St Plus	o	o	o	o	o	•	•	•	•	•	•	•	•	•
OTHERS		Automatic lighting switch-off	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Emergency hatch	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Fan	o	o	o	o	o	o	o	o	o	o	o	o	o	o
CAR WALLS																
PANELS	Neocompact Colour	NC02 Red Autumn									•P					
		NC03 White Snow							•P			•P				
		NC05 Blue Berry												•P		
		NC25 Warm Green				•P										
	Neocompact Wood	NC12 Wood Sinatra							•F/L							
		NC15 Oak Tree			•											
		NC21 Oak White								•						
		NC22 Oak Grey	•									•F/L				
	Neocompact Texture	NC16 Linen Pure						•								
		NC18 Night Garden											•F			
		NC23 Light Linen				•F/L										
		NC24 Tissue		•												
	Panel Stainless	ST01 St St Base					•				•F/L		•P/L	•F/L	•	•
		ST02 St St Plus					o				oF/L		oP/L	oF/L	o	o
	Others	Without cladding (for local fit out)	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Tip-up seat	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		2 Entrances or 'Through car' for 180, 'Front/Adjacent' for 90&270	o	o	o	o	o	o	o	o	o	o	o	o	o	o
CAR OPERATING PANEL AND INDICATORS																
CAR INDICATOR		Dot-matrix	•	•	•	•	•									
		TFT						•	•	•	•	•	•	•	•	•
		Car direction arrows	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Overload indicator (buzzer & light)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Direction arrows on entrance return	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Car gong	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Voice synthesizer	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Inductive acoustic coupler	o	o	o	o	o	o	o	o	o	o	o	o	o	o
CAR OPERATING PANEL MATERIAL		ST01 St St Base	•	•	•	•	•	o	o	o	o	o	o	o	o	o
		ST02 St St Plus	o	o	o	o	o	•	•	•	•	•	•	•	•	•
CAR PUSH BUTTONS		Door close push button	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Braille push button	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Key switch push button (Standard or eurocylinder)	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		External call cancelling	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Coded call	o	o	o	o	o	o	o	o	o	o	o	o	o	o
LANDING INDICATOR		7 Segment	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Dot-matrix	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		Next departure indicator	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Landing gong	o	o	o	o	o	o	o	o	o	o	o	o	o	o
LANDING PUSH BUTTONS		Key switch push button (Standard or eurocylinder)	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Surface mounted push button	o	o	o	o	o	o	o	o	o	o	o	o	o	o
CAR OPERATING PANEL		Horizontal car operating panel	o	o	o	o	o	o	o	o	o	o	o	o	o	o
MIRRORS																
MIRRORS		MT (Mirror 3/4 narrow)	•F	•F	•F	•F	•F	•F	•F	•F	•F	•F	•F	•F	•F	•F
		Rear-view mirror (EN 81-70)	o	o	o	o	o	o	o	o	o	o	o	o	o	o
FINISH		01 Clear	•	•	•	•	•	•	•	•	•	•	•	•	•	•
HANDRAILS																
		HR04 (Stainless steel tube)	•L	•L	•L	•L	•L	•L	•F/L	•L	•F/L	•F/L	•F/L	•L	•F/L	•L
FINISHES																
SKIRTINGS		SK01 Anodized Aluminium (St St finish)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DOOR MATERIALS (car and landing)		ST01 St St Base	•	•	•	•	•	o	o	o	o	o	o	o	o	o
		ST02 St St Plus	o	o	o	o	o	•	•	•	•	•	•	•	•	•
		Primed sheet (landing door)	o	o	o	o	o	o	o	o	o	o	o	o	o	o
DOOR PANEL TYPE		Standard panel (not big vision)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FLOORS																
SC-PVC HIGH		SC01 Red Cherry											•			
		SC03 Grey Ice						•	•							
		SC04 Grey Storm		•	•	•	•			•	•	•				•
		SC05 Grey Silver	•											•		
		SC06 Beige Sand													•	
OTHERS		Prepared for granite	o	o	o	o	o	o	o	o	o	o	o	o	o	o
		Prepared for PVC	o	o	o	o	o	o	o	o	o	o	o	o	o	o

• Standard o Optional F Back wall L Side wall opposite car operating panel P Side wall with car operating panel

Orona 3G

Plus

Orona 3G
Plus

Ceilings and LED lighting - Automatic lighting switch-off included

MODEL*

UP 19

d

UP 37

UP 41

UP 43

p

UP 47

p

UP 53

p

UP 67

UP 71

p

UP 73

OTHERS

- Emergency hatch (UP37- UP41)
- Fan

* Certain lighting models may not be available, depending on car dimensions.

p Only available in Public range d Only available in Domo range

Car walls

NEOCOMPACT COLOUR

NC01 Beige Cream

NC02 Red Autumn

NC03 White Snow

NC04 Grey Cloud

NC05 Blue Berry (p)

NC07 Beige Sahara (p)

NC10 Beige Cappuccino (p)

NC25 Warm Green

NEOCOMPACT WOOD

NC12 Wood Sinatra (p)

NC14 Walnut Tree (p)

NC15 Oak Tree

NC21 Oak White

NC22 Oak Grey

NEOCOMPACT TEXTURE

NC16 Linen Pure

NC17 Grey Storm (d)

NC18 Night Garden

NC19 White Garden (p)

NC23 Light Linen (p)

NC24 Tissue

PANEL STAINLESS

ST01 St St Base

ST02 St St Plus

ST03 St St Elephant Skin Pattern

ST04 St St Linen Pattern

OTHERS

- Without cladding (for local fit out)
- Tip-up seat
- 2 Entrances or 'Through car' for 180, 'Front/Adjacent' for 90&270

(p) Only available in Public range (d) Only available in Domo range

Car operating panel

d p

Car indicator

7 segment

d p

Dot-matrix

d p

TFT

d p

Direction arrows
on entrance return

OTHERS

- Car direction arrows
- Overload indicator (buzzer & light)
- Car gong
- Voice synthesizer
- Inductive acoustic coupler

OTHERS

- Double car operating panel
- Horizontal car operating panel

Landing indicator

7 segment



d p

Dot-matrix



d p

TFT



d p

Wall landing indicator



d p

OTHERS

- Next departure indicator
- Landing gong

p Only available in Public range d Only available in Domo range

Car push buttons

Orona Braille circular model

Model with additional contrast

OTHERS

- Door close push button
- Key switch push button (Standard or eurocylinder)
- External call cancelling
- Coded call

Orona 3G Series push buttons are water-resistant (IPX3 under EN 60529) and have fully passed the impact and fire tests defined in the EN 81-71 standard.

For enhanced anti-vandalism resistance needs (Category 1), Orona offers its comprehensive PPSS O3G anti-vandalism solutions, which fully complies with the EN 81-71 standard (push buttons, displays, doors, lighting, ceilings, walls, floors, mirrors, enclosures, etc.).

Landing push buttons

Push buttons to suit the lifts control type (1 or 2 push buttons)

d

p

Key switch push button (standard or eurocylinder)

d p

Surface mounted push button

d p

Mirrors

MH (Mirror 1/2)

MT (Mirror 3/4 narrow)

MW (Mirror 3/4 wide) p

Rear-view mirror (EN 81-70)

FINISH

01 Clear

02 Smoked

Bumprails

Wood

Stainless steel

PVC

Double bumprail

Skirtings

SK01 Anodized Aluminium (St St finish)

SK02 Lacquered Aluminium

Handrails

HR01 (Aluminium tube)



HR02 (Aluminium tube)

HR03 (Aluminium tube)



HR04 (Stainless steel tube)



p Only available in Public range d Only available in Domo range

Car operating panel material and/or ceiling and/or doors (car and landing)

ST01
St St Base

ST02
St St Plus

ST03
St St Elephant Skin Pattern



ST04
St St Linen Pattern



Floors

SC-PVC HIGH

SC01
Red Cherry

SC02
Green Leaf



SC03
Grey Ice



SC04
Grey Storm



SC05
Grey Silver



SC06
Beige Sand

SC07
Black Circles

SW CERAMICS · Available subject to dimensions

SW01
Black Basalt

SW02
Grey Cement

SW03
Grey Pearl

SW04
Beige Basalt

SW06
Brown Earth

ME-OTHER

ME01
Chequered
Aluminium

d

ME02
St St Chequered
Pattern

p

OTHERS

- Prepared for granite (23 mm)
- Prepared for PVC (23 mm or 3 mm in restricted pits)

p Only available in Public range d Only available in Domo range

Orona

- 1 out of every 10 new lifts in Europe is Orona
- More than 100 countries have Orona products installed
- 250,000 lifts worldwide with Orona technology
- First company in the sector worldwide certified in Eco-design (ISO 14006)

Orona 3G

- Aesthetic solutions
  Technical solutions

The specifications in this document are for information purposes only, and Orona reserves the right to change at any time.

Orona

www.orona-group.com

© Orona 3G 8889003 02 - 18/07